EAST Search History

EAST Search History (Prior Art)

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|---|---------------------|---------|---------------------|
| L1 | 705 | (toshihiro with kobayashi). in. (toshikazu with ohshima).in. (masakazu with fujiki).in. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/11/19 15:46 |
| L3 | 2 | ((toshihiro with kobayashi).in. (toshikazu with ohshima).in. (masakazu with fujiki).in.) and (exclusive with control with right) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/11/19 15:47 |
| Si | 1696 | 707/8.ccls. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/11/16 18:31 |
| S2 | 146 | 707/8.ccls. and (hierarch \$6 with (item object)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/11/16 18:32 |
| S3 | 41 | 707/8.ccls. and (hierarch \$6 with (item object)) and ((right lock\$3) with (item object) with (process transaction)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/11/16 18:33 |
| S4 | 18 | 707/8.cols. and (hierarch \$6 with (item object)) and ((right lock\$3) with (item object) with (process transaction)) and ((lock \$3) with (branch lower child\$41)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/11/16 18:33 |

| S5 | 14 | 707/8.ccls. and (hierarch \$6 with (item object)) and ((right lock\$3) with (item object) with (process transaction)) and ((lock \$3) with (branch lower child\$4)) and @ad<"20030228" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/11/16 18:34 |
|-----|------|---|---|----|----|---------------------|
| S6 | 20 | "6748470" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/11/17 11:00 |
| S7 | 13 | "6748470" and @ad<"20030228" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/11/17 11:01 |
| S8 | 2 | 707/8.ccls. and ((type rule) with (object item resource)) and ((type rule) with (lock\$3) with (children lower) with (object item resource)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/11/17 11:04 |
| S9 | 565 | ((type rule) with (object item resource)) and ((type rule) with (lock\$3) with (children lower) with (object item resource)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/11/17 11:49 |
| S10 | 6 | ((ttype rule) with (object item resource)) and ((ttype rule) with (lock\$3) with (children lower) with (object item resource)) and (distribu\$4) and hierarch\$4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/11/17 11:49 |
| S11 | 1700 | 707/8.ccls. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/11/17 11:50 |
| S12 | 458 | 707/8.cols. and hierarch \$4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/11/17 11:51 |

| S13 | 282 | 707/8.ccls. and (hierarch \$4 with (item object data resource)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/11/17 |
|-----|-----|--|---|----|---------------------|---------------------|
| S14 | 7 | \$4 with (item object data resource)) and ((type rule) with (lock\$3 right) with (item object data resource)) and ((determin \$6 designat\$4) with (lock \$3 right) with (child\$4 branch lower)) | | OR | ON | 2009/11/17 11:54 |
| S15 | 7 | 7 707/8.cds. and (hierarch \$4 with (item object data resource)) and ((type rule) with (icok\$3 right) with (item object data resource)) and ((determin \$6 designat\$4) with (lock \$3 right) with (child\$4 branch lower)) | | ON | 2009/11/17 11:54 | |
| S16 | 54 | (manipulat\$4 with scene with graph) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/11/17 12:03 |
| S17 | 18 | (manipulat\$4 with scene with graph) and ((right lock\$3) with (item object data resource)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/11/17 12:04 |
| S18 | 6 | (manipulat\$4 with scene with graph) and (((right with (access\$4 control)) lock\$3) with (item object data resource)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/11/17 12:05 |
| S19 | 2 | "20040172448" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB | OR | ON | 2009/11/17 12:19 |

| S20 | 1 | "20040172448" and type | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/11/17 12:20 |
|------|-----|---|---|----|----|---------------------|
| S21 | 13 | 707/8.ccls. and ((designat \$4 set\$4 determin\$6 map \$4 associat\$4) with node with (type rule)) and ((type rule) with (lock right)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/11/17 12:30 |
| S22 | 6 | 707/8.ccls. and ((designat \$4 set\$4 determin\$6 map \$4 associat\$4) with node with (type rule)) and ((type rule) with (lock right)) and @adc"20030228" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/11/17 12:32 |
| S23 | 2 | "20040172448" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/11/17 13:03 |
| S24 | 789 | ((tree hierarch\$4) with (data item object resource)) and ((pre \$1defin\$3 pre\$1set\$3 (user with (defin\$3 set \$4))) with (right lock) with (policy application process rule)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/11/17 13:27 |
| \$25 | 441 | ((tree hierarch\$4) with (data item object resource)) and (tpre \$1defin\$3 pre\$1set\$3 (user with (defin\$5 set \$4)) with (right lock) with (policy application process rule)) and (manag \$5 with (lock (right with (access\$3 control)))) | US-PCPUB; USPAT; USOCR; FPPS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/11/17 13:27 |
| \$26 | 462 | (((tree hierarch\$4 graph) with (data item object resource)) and ((pre \$1defin\$3 pre\$1 set\$3 (user with (defin\$5 set \$4))) with (right lock) with (policy application process rule)) and (manag \$5 with (lock (right with (access\$3 control)))) | US PCPUB; USPAT; USOCR; FPPS; EPO; JPO; DEFWENT; IBM_TDB | OR | ON | 2009/11/17 13:28 |

| S27 | 246 | ((tree hierarch\$4 graph) with (data item object resource)) and ((pre \$1defin\$3 pre\$1set\$3 (user with (defin\$3 set \$4))) with (right lock) with (policy application process rule)) and (manag \$5 with (lock (right with (access\$3 control)))) and (@ad<*20030228" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/11/17 13:28 |
|-----|-----|---|---|----|----|---------------------|
| S28 | 54 | "707"/ cols. and ((tree hierarch\$4 graph) with (data item object resource)) and ((pre \$1defin\$3 pre\$1set\$3 (user with (defin\$3 set \$4))) with (right lock) with (policy application process rule)) and (manag \$5 with (lock (right with (access\$3 control)))) and (@ad<*20030228" | US-PGPUB; USPAT; USOCR; FPRS; EPC; JPC; DERWENT; IBM_TDB | OR | ON | 2009/11/17 13:28 |
| S29 | 2 | "707"/8.cds. and ((tree hierarch\$4 graph) with (data item object resource)) and ((pre \$1defin\$3 pre\$1set\$3 (user with (defin\$3 set \$4))) with (right lock) with (policy application process rule)) and (manag \$5 with (lock (right with (access\$3 control)))) and (@ad<"20030228" | US-PGPUB; USPAT; USOCR; FPRS; EPC; JPC; DERWENT; IBM_TDB | OR | ON | 2009/11/17 13:29 |
| S30 | 53 | "707"/.ccls. and ((tree hierarch\$4 graph) with (data item object resource)) and ((pre \$1defin\$3 pre\$1set\$3 (user with (defin\$3 set \$4))) with (right lock) with (policy application process rule)) and (manag \$5 with (fock (right with (access\$3 control)))) and (@ad<"20030228" and distribut\$4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/11/17 13:32 |

| S31 | 12 | "707".ccls. and ((tree hierarch\$4 graph) with (data item object resource)) and ((pre \$1defin\$3 pre\$1set\$3) with (ipht lock) with (policy application process rule)) and (manag\$5 with (lock (right with (access \$3 control)))) and @ad<"20030228" and distribut\$4 | US-PCPUB; USPAT; USOCR; FPRS; EFO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/11/17 13:34 |
|------------|----|--|---|----|----|---------------------|
| \$32 | 1 | "707"/.ccls. and ((tree hierarch\$4 graph) with (data item object resource)) and ((pre \$\$tofenson object resource)) and ((pre \$\$tofenson object) with (right lock) with (policy application process rule)) and (manag\$5 with (lock (right with (access \$\$3 control)))) and @ad~"20030228" and distribut\$4 and (inherit\$5 with (right lock)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/11/17 13:35 |

EAST Search History (Interference)

| Ref# | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|------|------|---|-----------------------------|------------------|---------|------------------|
| L4 | 5 | 707/8.ccls. and (exclusive with control with right) | US-PGPUB; USPAT; UPAD | OR | ON | 2009/11/19 15:50 |
| L5 | 2 | 707/8.ccls. and (exclusive with control with right).clm. | US-PGPUB; USPAT; UPAD | OR | ON | 2009/11/19 15:50 |
| L6 | 0 | 707/8.ccls. and (exclusive with control with right).clm. and (item with type with information).clm. | US-PGPUB; USPAT; UPAD | OR | ON | 2009/11/19 15:50 |

11/19/2009 3:51:53 PM

C:\ Documents and Settings\ klovel\ My Documents\ EAST\ Workspaces\ 10786116

\10786116 5.wsp